

62

Ra

1958

*Wholesale Price List***DEL AMO NURSERIES***Wholesale Growers of Ornamentals*

Ove Hoyer, General Manager


LIBRARY
RECEIVED
★ APR 7 1958 ★

U. S. Department of Agriculture
Container Grown Stock
Field Grown Stock
Specimen Trees

**PINTO TAG NURSERY**

*Over 100 Acres Devoted to Growing Specimen
 Ornamental Nursery Stock*
MORE THAN 350 VARIETIES OF PLANTS

Mail Address—P.O. Box 389—Compton, Calif.
3 miles South of Compton, Calif.
Corner of Alameda Blvd. and Del Amo Blvd.



You Buy With Confidence

You Sell The Finest

WHEN YOU DEAL WITH DEL AMO

Del Amo Nurseries was established in 1921 and dedicated to the growing of *quality* nursery stock for the wholesale trade.

For the past thirty-six years the business has expanded every year until now it is rated among the largest in the West. It maintains one of the largest and most complete stocks of ornamental plants and trees to be found anywhere.

Nursery buyers who visit the growing grounds for the first time are amazed at the size and variety of the field and container grown stock, and especially our huge stock of large specimen shrubs and trees.

Climatic and soil conditions in the Del Amo area are naturally one of the biggest contributors to the widely known **QUALITY** that has given Del Amo its enviable reputation among retail nursery operators and landscape contractors.

Del Amo grown ornamentals are constantly being sought for the most outstanding landscape jobs in Southern California.

QUALITY of stock and prompt **SERVICE** are the most important considerations between the wholesale grower and the retail nurseryman—and it is these two factors that we're proud of—and why we can say without hesitation—our best references are the people who have done business with us in the past.

We'd like very much to have you come out and visit us—full directions for reaching our nursery will be found on the inside back cover.

PLEASE READ BEFORE ORDERING:

TERMS:

All new or unestablished accounts, CASH or C.O.D. All established accounts, NET: 30 days. Legal rate of interest will be charged on all overdue accounts.

CONDITIONS:

This price list cancels all previous price lists and quotations, and is for the TRADE only. All orders accepted subject to stock on hand at time of order.

GUARANTEE:

We guarantee all stock to be in perfect condition when delivered, but accept no responsibility after goods have been accepted in good order. No adjustments made unless demand for adjustment is made in writing within five days after receipt of goods.

NON-WARRANTY:

Owing to conditions over which we have no control, Del Amo Nurseries give no warranty, express or implied, as to quality, description, life or productiveness of any material sold by us. Del Amo Nurseries will be liable only for the sum paid for such stock as may prove untrue to name.

PINTO TAG NURSERY:

It certifies that stock from which shipment is made has been found free of pests not of general distribution and is released for planting in all Counties of California, except Tulare and Ventura, without further inspection.

TRUCK DELIVERIES:

Free delivery to points in Southern California within reasonable distance of our regular delivery points; to all other points, F.O.B., Compton, by the quickest, safest and most economical manner possible. Shipping charges to be paid by the Receiver.

NOTICE:

If you do not find the stock you want listed, please write to us, we may be able to supply you. We have many varieties, in insufficient quantities to warrant listing. We invite correspondence and are ready to assist our patrons in every way possible.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

DEL AMO NURSERIES

| Description | 1 g c | 5 g c |
|----------------------------------|-------|-------|
| Abelia Floribunda | .75 | 2.50 |
| Abelia Grandiflora | .50 | 1.85 |
| Abelia Sanderi, Ed Goucher | .50 | 1.85 |
| Aberia Caffra | .60 | 2.00 |
| Acacia Armata | .50 | 1.85 |
| Acacia Baileyana | .50 | 2.00 |
| Acacia Cultriformis | .50 | 1.85 |
| Acacia Dealbata | .50 | 2.00 |
| Acacia Decurrens | .50 | 2.00 |
| Acacia Floribunda | .50 | 2.00 |
| Acacia Latifolia | .50 | 1.85 |
| Acacia Melanoxylon | .50 | 2.00 |
| Acacia Pendula | | 2.50 |
| Acacia Podalyriaefolia | .60 | 2.25 |
| Acacia Pycnantha | .60 | 2.50 |
| Acacia Verticillata | .50 | 1.85 |
| Acanthus Mollis | .50 | 1.85 |
| Acer Dasycarpum | | 2.00 |
| Acer Palmatum | | 2.50 |
| Acer Paxi | | 2.25 |
| Acokanthera Venenata | .75 | 2.50 |
| Adenocarpus Viscosus | .50 | 1.85 |
| Agapanthus Umbellatus | .50 | |
| Agonis Flexuosa | | 3.50 |
| Akebia Quinata | 1.00 | |
| Albizia Julibrissin | .50 | 2.50 |
| Alnus Rhombifolia | .50 | 2.00 |
| Amaryllis Belladonna | .50 | |
| Ampelopsis Quinquifolia | .50 | |
| Ampelopsis Veitchi | .50 | |
| Amygdalus Rosa Nana | .50 | 1.85 |
| Anemone Japonica | .75 | |
| Antigonon Leptopus | .60 | 2.50 |
| Aralia Papyrifera | .65 | 2.25 |
| Aralia Sieboldi | .50 | 1.85 |
| Arbutus Unedo | .50 | 1.85 |
| Arbutus Unedo, Standard | | 2.50 |
| Arctostaphylos Uva Ursi | .75 | |
| Ardisia Crenulata | .60 | |
| Aspidistra Elatior | .75 | |
| Aucuba Crotonifolia | .75 | 2.50 |
| Aucuba Japonica | .60 | 2.00 |
| Aucuba Japonica Nana | .75 | 2.50 |
| Aucuba Japonica Gold Dust | .60 | 2.25 |
| Azara Microphylla | | 2.50 |
| Baccharis Pilularis | .75 | |
| Bamburanta Arnoldiana | .75 | 2.50 |
| Bauhinia Alba | | 2.50 |
| Bauhinia Purpurea | | 2.25 |

NEwmark 1-1131 — NEvada 6-1188

| Description | 1 g c | 5 g c |
|----------------------------------|-------|-------|
| Beaumontia Grandiflora | .75 | 2.50 |
| Beleperone Guttata | .50 | |
| Berberis Darwini | .60 | 2.25 |
| Berberis Pruinosa | .50 | 1.85 |
| Berberis Thunbergia Atropurpurea | .50 | 1.85 |
| Bergenia Cordifolia | .50 | |
| Betula Alba | | 2.00 |
| Bignonia Chamberlayni | .60 | 2.25 |
| Bignonia Cherere | .65 | 2.25 |
| Bignonia Tweediana | .60 | 2.25 |
| Bignonia Venusta | .75 | 2.50 |
| Bignonia Violacea | .60 | 2.25 |
| Blighia Sapida | | 2.50 |
| Bougainvillea Afterglow | .60 | 2.25 |
| Bougainvillea Brasiliensis | .60 | 2.00 |
| Bougainvillea Barbara Karst | .60 | 2.00 |
| Bougainvillea Crimson Lake | .60 | 2.00 |
| Bougainvillea M. Praetorius | .60 | 2.00 |
| Bougainvillea Sanderiana | .60 | 2.00 |
| Bougainvillea San Diego Red | .60 | 2.00 |
| Brachychiton Acerfolius | | 2.00 |
| Brachychiton Discolor | | 2.00 |
| Brachychiton Populneus | | 2.00 |
| Brachysema Lanceolatum | .60 | 2.00 |
| Brassia Actinophylla | 1.00 | 3.50 |
| Brunsfelsia Calycina Exima | .60 | 2.00 |
| Brunsfelsia Floribunda | .50 | 1.85 |
| Buxus Harlandi | .60 | |
| Buxus Japonica | .45 | 1.85 |
| Caesalpinia Spinosa | | 2.50 |
| Calliandra Inequalatera | | 3.00 |
| Calliandra Tweedi | .60 | 2.00 |
| Callistemon Lanceolatus | .50 | 1.85 |
| Callistemon Rigidus | .50 | 1.85 |
| Callistemon Rigidus, Standard | | 2.25 |
| Callistemon Viminalis, Standard | .60 | 2.00 |
| Calodendrum Capensis | | 2.50 |
| Camphora Officinalis | .60 | 2.25 |
| Campsis Grandiflora | | 3.50 |
| Carissa Alles | .60 | 2.50 |
| Carissa Grandiflora | .50 | 1.85 |
| Carissa Grandiflora Prostrata | .50 | 1.85 |
| Carissa Macrophylla | .50 | 1.85 |
| Carissa Minima | .60 | |
| Carissa Prostrata | .50 | 1.85 |
| Carissa Prostrata Tuttlei | .50 | 1.85 |
| Carpenteria Californica | .75 | 2.50 |
| Cassia Artemisoides | .50 | 1.85 |
| Cassia Nairobiensis | .50 | 2.00 |

DEL AMO NURSERIES

| Description | 1 g c | 5 g c |
|--|-------|-------|
| Cassia Splendida | .60 | 1.95 |
| Castanospermum Australe | | 2.50 |
| Casuarina Equisetifolia | | 2.50 |
| Casuarina Stricta | | 2.00 |
| Catalpa Speciosa | .50 | 2.00 |
| Ceanothus Arboreus | .60 | 2.00 |
| Ceanothus Gloriosus | .75 | |
| Ceanothus Griseus Horizontalis | .75 | 2.50 |
| Ceanothus Mt. Haze | .75 | 2.00 |
| Ceanothus Sierra Blue | .75 | 2.00 |
| Cedrus Atlantica | | 2.50 |
| Celtis Occidentalis | | 2.50 |
| Ceratonia Siliqua | .60 | 2.25 |
| Ceratostigma Plumbaginoides | .50 | |
| Ceratostigma Willmottianum | .50 | 1.85 |
| Cercis Canadensis | | 2.50 |
| Cestrum Elegans | .50 | 1.85 |
| Cestrum Nocturnum | .50 | |
| Chamaecyparis Lawsoniana | .65 | 2.50 |
| Chamaecyparis Lawsoniana Compacta | .75 | 2.50 |
| Chamaecyparis Stewarti Golden | .75 | 2.50 |
| Chamaelaucium Ciliatum | .60 | 2.00 |
| Chamaerops Humilis | | 3.50 |
| Cherimoya | | 2.50 |
| Choisya Ternata | .50 | 1.85 |
| Cissus Antarctica | .60 | 2.25 |
| Cissus Capensis | .60 | 2.25 |
| Cissus Hypoglauca | .60 | 2.25 |
| Cissus Rhombifolia | .60 | 2.25 |
| Cissus Voineriana | | 2.50 |
| Cistus Corbariensis | .50 | 1.85 |
| Cistus Ladaniferus Maculatus | .50 | 1.85 |
| Cistus Purpurea | .50 | 1.85 |
| Cistus Salvifolius | .50 | 1.85 |
| Clethra Arborea | | 2.00 |
| Clivia Hybrid | 1.00 | 3.50 |
| Cocculus Laurifolius | .60 | 1.85 |
| Cocos Plumosa | | 5.00 |
| Colletia Cruciata | | 3.50 |
| Convolvulus Cneorum | .50 | |
| Coprosma Baueri | .50 | 1.85 |
| Coprosma Baueri Varieg. | .60 | 2.00 |
| Correa Alba | .60 | 2.00 |
| Correa Magnifica | .60 | 2.00 |
| Correa Pulchella | .60 | 2.00 |
| Cortaderia Argentea | .60 | 2.00 |
| Corynocarpus Laevigata | | 2.50 |
| Cotoneaster Adpressa | .60 | 1.85 |
| Cotoneaster Conspicua Decora | .60 | 2.00 |

NEwmark 1-1131 — NEvada 6-1188

| Description | 1 g c | 5 g c |
|----------------------------------|-------|-------|
| Cotoneaster Glaucophylla | .60 | 2.00 |
| Cotoneaster Horizontalis | .50 | 1.85 |
| Cotoneaster Microphylla | .50 | 1.85 |
| Cotoneaster Pannosa | .50 | 1.85 |
| Cotoneaster Parneyi | .50 | 1.85 |
| Crinodendron Dependens | .50 | 2.00 |
| Cupania Anacardioides | | 2.50 |
| Cupania Sapida | | 2.50 |
| Cupressus Arizona | .50 | 1.85 |
| Cupressus Arizona Watersii | | 2.50 |
| Cupressus Forbesi | .50 | 1.85 |
| Cupressus Sempervirens | .60 | 2.00 |
| Cydonia Japonica | .50 | 2.00 |
| Cyperus Alternifolius | .60 | 2.00 |
| Cyperus Papyrus | .60 | 2.00 |
| Dais Cotinifolia | | 2.50 |
| Datura Arborea | .60 | |
| Datura Suaveolens | | 2.50 |
| Daubentonia Grandiflora | | 2.50 |
| Dimorphotheca Ecklonis | .50 | |
| Diosma Ericoides | .50 | |
| Diosma Pulchrum | .50 | 1.85 |
| Diosma Reevesii | .50 | |
| Dodonaea Viscosa | .50 | 2.00 |
| Dombeya Wallichii | | 2.00 |
| Dracena Draco | .75 | 2.50 |
| Dracena Indivisa | .50 | 1.85 |
| Duranta Plumeri | .50 | 1.85 |
| Duranta Stenostachya | .50 | 1.85 |
| Dyckia Rariflora | .75 | |
| Echium Fastuosum | .75 | 2.50 |
| Eleagnus Pungens | .50 | 1.85 |
| Eleagnus Pungens Varig. | .60 | 2.00 |
| Equisetum Hyemale | .50 | 1.85 |
| Eranthemum Nervosum | .50 | 2.00 |
| Eriobotrya Japonica | .50 | 2.00 |
| Escallonia Montevidensis | .50 | 1.85 |
| Escallonia Organensis | .50 | 1.85 |
| Escallonia Rosea | .50 | 1.85 |
| Escallonia Rubra | .50 | 1.85 |
| Eucalyptus Algeriensis | | 2.00 |
| Eucalyptus Botryoides | .50 | 2.00 |
| Eucalyptus Camaldulensis | .50 | 2.00 |
| Eucalyptus Cinerea | .50 | 2.00 |
| Eucalyptus Citriodora | .50 | 2.00 |
| Eucalyptus Cornuta | .50 | 2.00 |
| Eucalyptus Corynocalyx | .50 | 2.00 |
| Eucalyptus Eremophila | | 2.50 |
| Eucalyptus Erythronema | | 2.50 |

DEL AMO NURSERIES

| Description | 1 g c | 5 g c |
|--------------------------------------|-------|-------|
| Eucalyptus Erythrocorys | | 2.50 |
| Eucalyptus Ficifolia | .60 | 2.00 |
| Eucalyptus Globulus | .50 | 1.85 |
| Eucalyptus Globulus Compacta | .50 | 1.75 |
| Eucalyptus Grossa | | 2.50 |
| Eucalyptus Gunni | .60 | 2.50 |
| Eucalyptus Lehmanni | .50 | 2.00 |
| Eucalyptus Leucoxylon | .50 | 2.00 |
| Eucalyptus Macrocarpa | | 3.50 |
| Eucalyptus Nutans | | 2.50 |
| Eucalyptus Maculata | .50 | 2.00 |
| Eucalyptus Pilularis | .50 | 2.00 |
| Eucalyptus Polyanthemus | .50 | 2.00 |
| Eucalyptus Pulverulenta | .60 | 2.00 |
| Eucalyptus Resinifera | .50 | 2.00 |
| Eucalyptus Robusta | .50 | 2.00 |
| Eucalyptus Rostrata | .50 | 2.00 |
| Eucalyptus Rudis | .50 | 2.00 |
| Eucalyptus Sideroxylon Rosea | .50 | 2.00 |
| Eucalyptus Tereticornis | .50 | 2.00 |
| Eucalyptus Tetraptera | .50 | 2.25 |
| Eucalyptus Torquata | .60 | 2.25 |
| Eucalyptus Viminalis | .50 | 2.00 |
| Eugenia Myrtifolia | | 2.50 |
| Euonymus Alba Marginatus | .50 | 1.85 |
| Euonymus Fortunei Erecta | .50 | |
| Euonymus Japonicus | | |
| Aureo-Marginatus | .50 | 1.85 |
| Euonymus Japonicus | | |
| Aureo-Variegatus | .50 | 1.85 |
| Euonymus Radicans | .50 | 3.50 |
| Fatshedera Lizei | .50 | 2.00 |
| Fatshedera Lizei, Dble. Staked | | 2.75 |
| Feijoa Sellowiana | .50 | 1.85 |
| Feijoa Sellowiana, Standard | | 2.50 |
| Festuca Glauca | .50 | |
| Ficus Elastica | | 5.00 |
| Ficus Macrophylla | | 2.50 |
| Ficus Microphylla | | 2.50 |
| Ficus Mysorensis | | 3.00 |
| Ficus Nitida | | 2.50 |
| Ficus Nitida, Standard | | 3.50 |
| Ficus Repens | .50 | |
| Ficus Retusa | | 2.50 |
| Ficus Retusa, Standard | | 3.50 |
| Ficus Rubiginosa | | 2.50 |
| Ficus Rubiginosa, Standard | | 3.50 |
| Firmiana Simplex | .60 | 2.50 |
| Fraxinus Uhdei | | 2.00 |

| Description | 1 g c | 5 g c |
|----------------------------------|-------|-------|
| Fremontia Mexicana | .75 | 2.50 |
| Gardenia Mystery | .50 | 1.85 |
| Gardenia Radicans | .75 | 2.50 |
| Gardenia Thunbergia | | 2.50 |
| Gardenia Veitchi | .50 | 1.85 |
| Gelsemium Sempervirens | .65 | 2.25 |
| Genista Monosperma Pendula | .60 | 2.00 |
| Ginkgo Biloba | | 2.50 |
| Grevillea Banksi | | 2.50 |
| Grevillea Robusta | .50 | 2.00 |
| Grewia Caffra | | 2.00 |
| Griselinia Lucida | .60 | 2.00 |
| Griselinia Lucida Varig. | .60 | 2.00 |
| Guava Guavajava | .50 | 2.00 |
| Gunnera Chilean | | 2.50 |
| | | |
| Hakea Cristata | | 3.50 |
| Hakea Laurina | | 2.50 |
| Hakea Saligna | | 2.50 |
| Hakea Suaveolens | .50 | 2.00 |
| Hardenbergia Comptoniana | .60 | 2.25 |
| Hardenbergia Monophylla | .50 | 2.00 |
| Harpephyllum Caffrum | | 2.50 |
| Hedera Canariensis | .50 | 2.00 |
| Hedera Canariensis Varig. | .50 | 2.00 |
| Hedera Helix | .50 | 2.00 |
| Hedera Helix, Bush | .60 | 2.00 |
| Hedera Helix Hahn's | .50 | 2.00 |
| Hedera Helix Hahn's Varig. | | 2.50 |
| Hedychium Flavum | .50 | 2.00 |
| Helianthemum Lasianthum | .50 | 2.00 |
| Helianthemum Ocymoides | .50 | 2.00 |
| Helichrysum Petiolatum | .60 | |
| Hibbertia Volubilis | .60 | 2.00 |
| Hibiscus Agnes Gault | .50 | 1.85 |
| Hibiscus Crown of Bohemia | .75 | 2.25 |
| Hibiscus Dble Pink | .50 | 1.85 |
| Hibiscus Kate Sessions | | 2.25 |
| Hibiscus San Diego Red | .50 | 1.85 |
| Hoya Carnosa | .75 | 2.50 |
| Hydrangea Varig. | .50 | 2.00 |
| Hymenosporum Flavum | | 2.50 |
| Hypericum Calycinum | .50 | |
| Hypericum Moserianum | .50 | 1.85 |
| Hypericum Patulum Henryi | .50 | 1.85 |
| | | |
| Ilex Aquifolium | .60 | 2.00 |
| Ilex Aquifolium Varig. | 1.00 | 3.00 |
| Ilex Bullata | .60 | 2.50 |
| Ilex Cornuta | .50 | 2.00 |

DEL AMO NURSERIES

| Description | 1 g c | 5 g c |
|---|-------|-------|
| Ilex Cornuta Burfordi | .50 | 2.00 |
| Ilex Opaca | .60 | 2.00 |
| Ilex Wilsoni | | 3.50 |
| lochroma Lanceolatum | | 2.00 |
| Isolepsis Gracilis | .50 | |
| Jacaranda Acutifolia | .60 | 2.00 |
| Jacobinia Carnea | .50 | |
| Jacobinia Pauciflora | .60 | |
| Jasminum Grandiflorum | .50 | 2.00 |
| Jasminum Humile Revoltum | .50 | 2.00 |
| Jasminum Magnificum | .60 | 2.00 |
| Jasminum Primulinum | .50 | 2.00 |
| Jasminum Rigidum | .50 | 2.00 |
| Jasminum Stephanense | .50 | 2.00 |
| Juniperus Chinensis Armstrongi | .60 | 2.00 |
| Juniperus Chinensis Columnaris | .75 | 2.50 |
| Juniperus Chinensis Femina | .75 | 2.50 |
| Juniperus Chinensis Pfitzer | .60 | 2.00 |
| Juniperus Chinensis Pfitzer, Golden .. | .60 | 2.25 |
| Juniperus Chinensis Prostrata | .60 | 2.25 |
| Juniperus Chinensis Prostrata Varig... .. | .75 | 2.50 |
| Juniperus Chinensis Torulosa | .75 | 2.50 |
| Juniperus Chinensis Torulosa Varig. .. | 1.50 | 3.00 |
| Juniperus Conferta | .65 | 2.50 |
| Juniperus Hibernica | .60 | 2.50 |
| Juniperus Sabina Tamariscifolia | .75 | 2.50 |
| Justicia Vasica | | 2.00 |
| Koelreuteria Bipinnata | | 2.50 |
| Koelreuteria Panniculata | | 2.00 |
| Kolkwitzia Amabilis | .50 | 1.85 |
| Lagunaria Patersoni | .50 | 1.95 |
| Laurus Nobilis | .60 | 2.00 |
| Laurus Nobilis, Standard | | 3.50 |
| Leptospermum Citriodora | | 2.50 |
| Leptospermum Laevigatum | .50 | 1.85 |
| Leptospermum Laevigatum Reevesi | .50 | 1.85 |
| Leptospermum Reevesi Compacta | .60 | 2.50 |
| Leptospermum Florepleno | .60 | 2.00 |
| Leptospermum Red Damask | .60 | 2.00 |
| Leptospermum Rose Dble | .60 | 2.00 |
| Leptospermum Ruby Glow | .60 | 2.00 |
| Leucaena Glauca | | 2.00 |
| Leucophyllum Frutescens | .50 | 1.85 |
| Libocedrus Decurrens | | 2.00 |
| Ligularia Kaempferi | .50 | 2.00 |
| Ligustrum Dwarf | .60 | 2.50 |
| Ligustrum Japonica | .50 | 1.85 |
| Ligustrum Japonica, Standard | | 2.25 |

NEwmark 1-1131 — NEvada 6-1188

| Description | 1 g c | 5 g c |
|------------------------------------|-------|-------|
| Ligustrum Lodense | .50 | 1.85 |
| Ligustrum Ovalifolium Varig. | .50 | 1.85 |
| Ligustrum Texanum | .50 | 1.85 |
| Liquidambar Styraciflua | .50 | 2.00 |
| Liriodendron Tulipifera | | 2.00 |
| Lonicera Japonica Chinensis | .50 | 2.00 |
| Lonicera Japonica Halliana | .50 | 2.00 |
| Lotus Bertholeti | .50 | |
| Lyonothamnus Floribundus | | 3.50 |
| Macadamia Ternifolia | | 4.50 |
| Magnolia Grandiflora | .65 | 2.25 |
| Mahonia Aquifolium | .60 | 2.00 |
| Mahonia Aquifolium Compacta | | 2.50 |
| Mahonia Bealei | .60 | 2.25 |
| Mahonia Lomarifolia | 1.00 | 3.50 |
| Malus, Bechtel Crab | | 2.50 |
| Maytenus Boria | | 2.50 |
| Melaleuca Acuminata | .50 | 1.85 |
| Melaleuca Armillaris | .50 | 1.85 |
| Melaleuca Decussata | | 1.85 |
| Melaleuca Hypericifolia | .50 | 1.85 |
| Melaleuca Leucadendron | .60 | 2.00 |
| Melaleuca Nesophila | .50 | 1.85 |
| Melaleuca Styphelioides | .60 | 2.00 |
| Melia Umbraculiformis | | 2.00 |
| Melianthus Major | .75 | 2.50 |
| Metasequoia Glyptostroboides | 1.50 | 5.00 |
| Metrosideros Tomentosa | .75 | 2.50 |
| Moraea Iridioides | .50 | |
| Muehlenbeckia Platyclados | 1.00 | 3.00 |
| Murraya Exotica | .60 | 2.00 |
| Murraya Paniculata | .60 | 2.00 |
| Musa Ensete | .60 | 2.00 |
| Musa Sapientum | .60 | 2.00 |
| Myoporum Laetum | .50 | 1.85 |
| Myoporum Laetum, Standard | | 2.50 |
| Myrsine Africana | .50 | 1.85 |
| Myrtus Buxifolia | .50 | 1.85 |
| Myrtus Communis Compacta | .50 | 1.85 |
| Myrtus Communis Varig. | .50 | 1.85 |
| Nandina Domestica | .50 | 1.85 |
| Nerium Cherry Ripe | .50 | 1.85 |
| Nerium Dble Pink | .50 | 1.85 |
| Nerium Dble Red | .50 | 1.85 |
| Nerium Madonna Grandiflora | .50 | 1.85 |
| Nerium Mrs. Roeding | .50 | 1.85 |
| Nerium Mrs. Swanson | .50 | 1.85 |
| Nerium Purpurea | .50 | 1.85 |

DEL AMO NURSERIES

| Description | 1 g c | 5 g c |
|--------------------------------------|-------|-------|
| Nerium Sarah Bernhardt | .50 | 1.85 |
| Nerium Sgle Pink | .50 | 1.85 |
| Nerium Sgle White | .50 | 1.85 |
| Nerium Sgle Yellow | .50 | 1.85 |
| Nerium Varig. | .60 | 2.00 |
| Nierembergia Frutescens | .50 | 1.85 |
| Ochna Multiflora | | 2.50 |
| Olive | .60 | 2.50 |
| Ophiopogon Japonicum | .50 | |
| Osmanthus Aquifolium | | 2.00 |
| Osmanthus Delavayi | .60 | 2.00 |
| Osmanthus Fragrans | .60 | 2.00 |
| Osmanthus Illicifolius | .75 | 2.50 |
| Osmanthus Illicifolius Varig. | .75 | 3.00 |
| Parkinsonia Aculeata | .60 | 2.00 |
| Passiflora Edulis | .50 | 2.00 |
| Passiflora Jamesoni | .60 | 2.00 |
| Passiflora Manicata | .60 | 2.00 |
| Passiflora Mollissima | .60 | 2.00 |
| Passiflora Pfordti | .60 | 2.00 |
| Passiflora Princeps | .60 | 2.00 |
| Paulownia Tomentosa | | 2.50 |
| Persea Indica | .60 | 2.00 |
| Philadelphus Coronarius | .50 | 1.85 |
| Philadelphus Lemoinei | .50 | |
| Philadelphus Mexicana | .50 | 1.85 |
| Philadelphus Virginalis | .50 | 1.85 |
| Phoenix Reclinata | | 3.50 |
| Phormium Atropurpureum | | 3.50 |
| Phormium Tenax | .75 | 2.00 |
| Phormium Tenax Bronze | | 2.50 |
| Phormium Tenax Varig. | | 2.50 |
| Photinia Arbutifolia | .65 | 2.25 |
| Photinia Arbutifolia, Standard | | 2.50 |
| Photinia Serrulata | .50 | 1.85 |
| Phytolacca Dioica | | 4.50 |
| Pinus Canariensis | .60 | 2.25 |
| Pinus Coulteri | | 2.50 |
| Pinus Halepensis | .50 | 2.00 |
| Pinus Patula | | 2.50 |
| Pinus Pinea | .60 | 2.25 |
| Pinus Pinaster | | 2.50 |
| Pinus Radiata | .50 | 2.00 |
| Pinus Thunbergi | | 2.50 |
| Pinus Torreyana | | 2.50 |
| Pistacia Atlantica | | 2.00 |
| Pistacia Chinensis | | 2.00 |
| Pistacia Terebinthus | | 2.00 |

NEwmark 1-1131 — NEvada 6-1188

| Description | 1 g c | 5 g c |
|---|-------|-------|
| Pittosporum Crassifolium | .50 | 1.85 |
| Piitosporum Crassifolium, Standard .. | | 2.50 |
| Pittosporum Eugenoides | | 1.85 |
| Pittosporum Heterophyllum | .60 | |
| Pittosporum Nigricans | .50 | 1.85 |
| Pittosporum Phillyraeoides | .60 | 2.50 |
| Pittosporum Rhombifolium | | 2.25 |
| Pittosporum Tobira | .50 | 1.85 |
| Pittosporum Tobira Varig. | .60 | 2.00 |
| Pittosporum Undulatum | .50 | 2.00 |
| Pittosporum Undulatum, Standard | | 2.75 |
| Pittosporum Viridiflorum | .60 | 2.00 |
| Pittosporum Viridiflorum, Standard | | 2.50 |
| Platanus Acerfolia | | 2.00 |
| Platanus Racemosa | | 2.00 |
| Pleroma Grandiflora | .50 | 1.85 |
| Plumbago Capensis | .50 | 1.85 |
| Plumbago Capensis Alba | .50 | |
| Plumbago Larpentae | .50 | |
| Podocarpus Elongatus 3' | 1.25 | 3.00 |
| Podocarpus Elongatus 5' | | 4.00 |
| Podocarpus Maki | | 3.00 |
| Podocarpus Macrophyllus 3' | .60 | 2.50 |
| Podocarpus Macrophyllus 5' | | 3.50 |
| Poinciana Gilliesi | .60 | 2.00 |
| Polygala Apopetala | .75 | 3.00 |
| Polygala Dalmaisiana | .50 | 1.85 |
| Polygonium Auberti | .60 | 2.00 |
| Prosopsis Chilensis | .75 | 2.50 |
| Prunus Caroliniana | .50 | 1.85 |
| Prunus Caroliniana, Standard | | 2.50 |
| Prunus Helen Borchert | | 2.50 |
| Prunus Illicifolia | .50 | 1.85 |
| Prunus Laurocerasus | | 1.85 |
| Prunus Lyoni | .50 | 1.85 |
| Prunus Lyoni, Standard | | 2.50 |
| Psidium Cattleianum | .50 | 1.85 |
| Psidium Cattleianum Lucidum | .50 | 1.85 |
| Pterocarya Rehderiana | | 2.00 |
| Punica Chico | .50 | |
| Punica Granatum Nana | .50 | 2.00 |
| Puya Alpestris | | 4.50 |
| Pyracantha Coccinea Lalandi | .50 | 1.85 |
| > Pyracantha Colletei, Staked | .75 | 2.00 |
| Pyracantha Crenata-Serrata | | |
| Graberii, Staked | .75 | 2.00 |
| Pyracantha Formosiana, Staked | .75 | 2.00 |
| Pyracantha Koidzumi, Staked | .75 | 2.00 |
| Pyracantha Santa Cruz | .50 | 1.85 |
| Pyracantha Victory, Staked | .75 | 2.00 |

DEL AMO NURSERIES

| Description | 1 g c | 5 g c |
|--|-------|-------|
| Pyracantha Yunnanensis | .50 | 1.85 |
| Quercus Agrifolia | .60 | 2.50 |
| Quercus Ilex | .60 | 2.50 |
| Quercus Suber | | 2.50 |
| Quercus Virginiana | | 2.50 |
| Raphiolepis Delacouri | 1.00 | 2.50 |
| Raphiolepis Indica Rosea | 1.00 | 2.50 |
| Raphiolepis Umbellata Ovata | .50 | 1.85 |
| Rayena Lucidum | .60 | 2.50 |
| Rhamnus Alaternus | .50 | 2.00 |
| Rhamnus Californica | | 2.50 |
| Rhus Integrifolia | .60 | 2.00 |
| Rhus Laurina | .50 | 1.85 |
| Rhus Ovata | .65 | 2.50 |
| Rhynchospermum Jasminoides | .60 | 2.00 |
| Rhynchospermum Jasminoides Varig. | 1.00 | 2.50 |
| Ricinus San Diego Red | | 2.50 |
| Romneya Coulteri | .75 | 2.50 |
| Rondeletia Amoena | .50 | 1.85 |
| Rondeletia Cordata | .50 | 1.85 |
| Rosmarinus Officinalis Prostrate | .50 | |
| Salix Babylonica | | 2.00 |
| Sarcococca Ruscifolia | .50 | 1.85 |
| Sasa Pygmaea | .75 | |
| Schinus Molle | | 2.25 |
| Schinus Terebinthifolia | | 2.25 |
| Seaforthia Elegans | | 5.00 |
| Semele Androgyna | | 3.50 |
| Sequoia Gigantea | .75 | 2.50 |
| Sequoia Sempervirens | .60 | 2.50 |
| Serissa Foetida Varig. | .50 | 1.85 |
| Solandra Guttata | .50 | 2.00 |
| Sollya Heterophylla | .50 | 1.85 |
| Sophora Japonica | | 2.50 |
| Sophora Japonica Pendula | | 2.50 |
| Sophora Secundiflora | .60 | 2.50 |
| Sophora Secundiflora, Staked | | 3.00 |
| Sparmannia Africana | .75 | 2.50 |
| Spartium Junceum | .50 | 1.85 |
| Sterculia Acerfolia | | 2.00 |
| Strelitzia Nicolai | 1.50 | 4.50 |
| Strelitzia Reginae | 1.00 | 3.00 |
| Tabernaemontana | .75 | 2.50 |
| Tamarix Africana | .50 | 1.85 |
| Taxus Cuspidata | 1.00 | |
| Tecomaria Capensis | .50 | 1.85 |
| Tecomaria Capensis, Staked | | 2.00 |

NEwmark 1-1131 — NEvada 6-1188

| Description | 1 g c | 5 g c |
|-------------------------------------|-------|-------|
| Ternstroemia Gymnanthera | .60 | 2.00 |
| Tetrapanax Lissoni | | 3.50 |
| Teucrium Chamaedrys | .50 | |
| Teucrium Fruticans | .50 | 1.85 |
| Thevetia Nerifolia | .60 | 2.00 |
| Thunbergia Gibsoni | .75 | 2.50 |
| Thunbergia Grandiflora | .75 | 2.50 |
| Thuja Beverleyensis | .60 | 2.00 |
| Tipuano Tipu | | 2.50 |
| Trachelospermum Asiaticum | 1.00 | 2.50 |
| Trachelospermum Fragrans | | 2.50 |
| Tricuspederia Dependens | | 2.00 |
| Tristania Conferta | | 2.00 |
| Ulmus Crassifolia | | 2.50 |
| Ulmus Parvifolia Sempervirens | .60 | 2.25 |
| Umbellaria Californica | | 2.50 |
| Veronica Andersoni | .50 | 1.85 |
| Veronica Buxifolia | .50 | 1.85 |
| Veronica Carnea | .50 | 1.85 |
| Veronica Chathamica | .60 | |
| Veronica Decussata | .50 | 1.85 |
| Veronica Imperialis | .50 | 1.85 |
| Veronica Salicifolia | .50 | 1.85 |
| Viburnum Burkwoodi | .60 | 2.00 |
| Viburnum Japonicum | .50 | 1.85 |
| Viburnum Odoratissimum | .50 | 1.85 |
| Viburnum Opulus Sterile | .50 | 1.85 |
| Viburnum Rhytidophyllum | .60 | 2.00 |
| Viburnum Robustum Varieg. | .50 | 1.85 |
| Viburnum Suspensum | .50 | 1.85 |
| Viburnum Tinus Robustum | .50 | 1.85 |
| Vitex Lucens | | 2.50 |
| Washingtonia Filifera | .75 | 2.50 |
| Washingtonia Robusta | | 2.50 |
| Weigelia Eva Rathke | .50 | 1.85 |
| Weigelia Rosea | .50 | 1.85 |
| Westringia Rosmarinformis | .50 | 1.85 |
| Xylosma Senticosa | .50 | 1.85 |
| Yucca Alifolia | .75 | 3.50 |
| Yucca Elata | .75 | 3.50 |
| Yucca Filamentosa | .75 | 3.50 |
| Yucca Glauca | .75 | 3.50 |
| Yucca Macrocarpa | .75 | 3.50 |
| Yucca Torreyi | .75 | 3.50 |
| Yucca Whipplei | .75 | 3.50 |
| Zelkova | .60 | 2.50 |

DEL AMO NURSERIES

FIELD STOCK IN VARIOUS SIZES

Abelia Grandiflora

Arbutus Unedo

Buxus Japonica

Carissa

Cedrus Atlantica

Cedrus Deodara

Ceratonia Siliqua

Chamaecyparis Lawsoniana

Chamaecyparis Lawsoniana Compacta

Chamaecyparis Stewarti

Chamaerops Excelsa

Chamaerops Humilis

Choisya

Cocos Plumosa

Cupressus Sempervirens

Cycas

Dracena Draco

Dracena Indivisa

Erythea Armata

Erythea Edulis

Ficus Nitida

Ficus Retusa

Ficus Rubiginosa

Ilex Aquifolium

Ilex Cornuta

Ilex Cornuta Burfordi

Jacaranda

Juniper Armstrong

Juniper Columnaris

Juniper Conferta

Juniper Femina

Juniper Hibernica

Juniper Pfitzer

Juniper Pfitzer, Golden

Juniper Prostrata

Juniper Prostrata Varig.

Juniper Sabina Tamariscifolia

Juniper Torulosa

Juniper Torulosa Varig.

Laurus Nobilis

Leptospermum Laevigatum

Leptospermum Reevesi

Libocedrus
Ligustrum Texanum
Liquidambar

Magnolia Grandiflora
Musa Ensete
Musa Sapientum

Nandina Domestica
Nerium

Olive

Phoenix Canariensis
Phoenix Reclinata
Photinia Serrulata
Pinus Canariensis
Pinus Halepensis
Pinus Pinaster
Pinus Pinea
Pinus Radiata
Pinus Torreyana
Pittosporum Crassifolium
Pittosporum Rhombifolium
Pittosporum Tobira
Pittosporum Undulatum Bush
Pittosporum Undulatum Standard
Pittosporum Viridiflorum
Platanus Acerifolia
Platanus Racemosa
Podocarpus Elongatus
Podocarpus Macrophylla
Prunus Caroliniana Standard
Pyrus Kawakami

Quercus Agrifolia
Quercus Ilex
Quercus Suber
Quercus Virginiana

Schinus Terebinthifolia

Thuja Beverleyensis

Ulmus Sempervirens

Viburnum Robustum


Washingtonia Filifera
Washingtonia Robusta

Xylosma Senticosa

How to Reach DEL AMO NURSERIES

The nursery and growing grounds are about 3 miles South of Compton, Calif., on Del Amo Blvd. at Alameda.

From downtown Los Angeles . . . drive South on Figueroa to 174th Street (Artesia Blvd.) then drive East to Alameda Blvd., off ramp, then South on Alameda 1 mile to Del Amo Blvd.



MEMBER:

California Association of Nurserymen
American Association of Nurserymen
American Institute of Park Executives
California Landscape Contractors Association
Credit Managers' Association of Southern California

